

Indoor Positioning for Consumers

SiRFusion end-to-end solution for ubiquitous location

Greg Turetzky, Sr Director, CTO Office

ICG-7, Beijing, Nov 6




Who is CSR?



© Cambridge Silicon Radio 2012

SiRFstarV[™] – the next generation location platform

SiRFstarV[™] architecture and SiRFusion[™] hybrid positioning system



Taking mobile location to the next frontiers



| Constellation | 50% | 67% | 95% | 97% | 99% |
|---------------|-------|-------|--------|--------|--------|
| GPS | 27.53 | 40.92 | 130.13 | 172.39 | 329.84 |
| GPS+1 Other | 12.28 | 17.80 | 43.91 | 51.52 | 71.61 |
| GPS+2 Other | | | | | |
| | 9.05 | 12.86 | 30.69 | 36.19 | 48.75 |


Perfect weighting WLSQ solution HPE (weight is inverse of squared range error)

• Simulation result over thousands of simulated points in urban/indoor environment including DOP and multipath effects

- More improvement than expected due to multipath improvement from additional satellites in solution
- But it does not solve the problem of true indoor where there are no GNSS signals.



Indoor Positioning – SiRFusion PDR + WiFi



- The MEMS sensors drift and the error accumulates at a growth rate of 10% of distance travelled
- Wi-Fi access points are used to determine approximate position once every 20s but have large uncertainty
- Combining MEMS and WiFi gives a unified solution with better accuracy and bounded uncertainty



Why are we here?

Shows ~10m uncertainty



Shows ~400m uncertainty

CSR powered Android phone with SiRFstar 5xp and SiRFusion Standard iPhone 4s with GPS and Wi-Fi positioning

Page 6 © Cambridge Silicon Radio 2012

SiRFusion test – Tokyo Station



- Lower level at Tokyo station
- Google indoor maps for each level
- Environment has no GNSS signal, lots of magnetic anomaly sources (tracks, elevators, escalators), and many people causing signal variations
- Red flags mark the route walked
- Blue dots mark the SiRFusion position



Summary

- CSR has a quad-GNSS capability today on SiRFstarV
 - Currently shipping GPS + GLONASS
 - More constellations would provide additional improvement
 - Galileo and COMPASS ready pending business case
- Ubiquitous positioning requires additional inputs
 - SiRFusion relies on adding WiFi+MEMS with a self-learning cloud based server
 - GNSS is still a required anchor technology
- Future planning requires long range information from providers
 - Support for additional frequency bands
 - Support for more complex coding schemes
 - Clear understanding of available data from satellites and ground segments