



# Cutting Edge GPS Science Applications

**December 2008**

**Stephen M. Lichten, Deputy Manager  
Communications, Tracking and Radar Division (33)**

*Jet Propulsion Laboratory, California Institute of Technology*

*This material has been approved for U.S. and foreign release (JPL document clearance numbers CL#07-4067, CL#08-4643)*

*© 2008 California Institute of Technology. Government sponsorship acknowledged.*

# Outline of Presentation



- GPS Design Trade
- Ground GPS Networks for science
- High-precision space-based GPS positioning and remote sensing



# The GPS Design Trade

National Aeronautics and Space  
Administration  
Jet Propulsion Laboratory  
California Institute of Technology



## ■ The Design Trade for GPS

- Accurate (atomic) clocks at ground sites and onboard GPS
  - Global tracking network accurately determines and updates GPS orbits and clocks at regular intervals
  - Relatively few USAF ground tracking sites means lower performance for GPS but higher security for the system
  - *Millions of GPS users can carry relatively simple equipment and do not require a good clock*
- Scientists typically favor better accuracy/performance versus getting real-time (but less accurate) information
  - Natural hazard monitoring often requires real-time measurement and analysis



GPS MCS

# GPS Performance Today

National Aeronautics and Space  
Administration  
Jet Propulsion Laboratory  
California Institute of Technology



## ■ Standalone low-cost commercial receiver

- **5-15 meters** real-time positioning.
  - *Limited by broadcast GPS clocks/orbits, ionosphere and receiver simplicity*




## ■ Military receiver, or commercial receiver + differential service

- **1-5 meters** real-time positioning. Requires local/regional differential service subscription or WAAS.
  - *Limited by GPS clock & orbit modeling, ionosphere*



## ■ NASA/JPL precise global differential GPS (GDGPS)

- **10 cm** real-time positioning accuracy. Precise differential corrections (available via industry partner) and dual-band receiver
  - *Global network processing improves orbits, eliminates dependence on clocks*
  - *Terrestrial and space users*



## ■ Non-real-time (minutes to days) geodetic positioning

- **Millimeter to centimeter-level** non-real-time positioning accuracy. Requires global network, dual-band data + advanced software.
  - *Global network processing improves orbits, eliminates dependence on clocks*
  - *Terrestrial and space users*




# JPL's Science Interests in GNSS

National Aeronautics and Space  
Administration  
Jet Propulsion Laboratory  
California Institute of Technology




- Global geodesy and geophysics; atmospheric and ionospheric remote sensing
- Earth platform critical calibrations in support of deep space missions
- Earth orbiter tracking, precise orbit determination, and remote sensing with flight GPS instruments
- Notable accomplishments
  - About a dozen patents (hardware and software)
  - Delivery of real-time GPS software to FAA for WAAS (late 1990s)
  - NASA Software of the Year (2000)
  - Space Technology Hall of Fame (2004)
  - Hundreds of scientific publications



# Advanced GPS Applications




Mission critical support to DSN tracking




EarthScope


atmospheric occultations



terrestrial reference frame





$e^-$  density in space



Lunar GPS & GNSS

ocean surface height



# Outline of Presentation





- GPS Design Trade
- Ground GPS Networks for science
- High-precision space-based GPS positioning and remote sensing

# Ground-Based Geodesy Using GPS: Plate Tectonics and Regional Deformations

National Aeronautics and Space Administration  
Jet Propulsion Laboratory  
California Institute of Technology




- Global and regional networks (Global GPS Network, Southern California Integrated GPS Network). *Millimeter-level accuracy* of position estimates.
- Deriving GPS-based definition of the terrestrial reference frame



Mojave segment, San Andreas F.  
best 25 mm/yr 20 km

EarthScope/Plate Boundary Observatory




# GPS Global Network

National Aeronautics and Space  
Administration  
Jet Propulsion Laboratory  
California Institute of Technology




## Tracking Network of the International GNSS Service (IGS) Highlighting NASA's Contributions



- NASA GPS Stations
- NASA Cooperative Stations
- Other Agency Stations

**More than 400 GPS tracking stations in the IGS**


# IGS GPS Orbit Solution Quality





# JPL Real-Time GPS Orbit Solution Accuracy: 15-20 cm

(available as real-time global differential corrections via industry partner)



# NASA's Real-Time Global Differential GPS (GDGPS) System

National Aeronautics and Space Administration  
Jet Propulsion Laboratory  
California Institute of Technology



Terrestrial and airborne users

*Land lines*  
*Iridium*  
*Inmarsat*

GDGPS Operations Center




*Uplink*

TDRS



*Frame*  
*Internet*

GDGPS real time network



*Broadcast*



Space users

**Redundant architecture:  
no single point of failure**

**99.999% reliability since  
inception in early 2000**

**Commercialized with  
industry partner**

**For more info see:**


[www.gdgps.net](http://www.gdgps.net)



# Real-Time GDGPS Support for Missions and Projects

- Natural hazard monitoring (earthquakes, volcanoes ...)
- Atmosphere and Earth orientation measurements in support of deep space operations
  - Mars Exploration Rover, Phoenix entry/descent/landing, Cassini orbit injection
- Real time on-board positioning for AirSAR radar system calibration
- UAVSAR on-board, real-time positioning for flight control of repeat pass interferometry
- Near-real time low-Earth orbit determination and sea surface height
- JPL's real-time GPS software was licensed and delivered to the FAA for use by the prime WAAS contractor. It has been commercialized by an industry partner.

Including Data From : 14-JUL-2004 06:02:03.9018 UTC  
To : 24-JUL-2004 06:02:03.7675 UTC  
Map Generated at : 24-JUL-2004 12:53:29.0000 UTC



Sea Level Anomaly Observed by Jason-1 Altimeter




# JPL Performs GPS Integrity Monitoring



**As a strategic national security asset and a critical global infrastructure undetected GPS failures can have enormous consequences, however, operational GPS lacks integrity monitoring due to sparse tracking network**

**The NASA Global Differential GPS system is providing real-time global GPS performance monitoring services to the U.S. Air Force**



# Outline of Presentation




- GPS Design Trade
- Ground GPS Networks for science
- High-precision space-based GPS positioning and remote sensing

# JPL/NASA BlackJack GPS Receivers: >50 Flight Years of Successful Space Operations

National Aeronautics and Space Administration  
 Jet Propulsion Laboratory  
 California Institute of Technology




The most precise GPS receivers flown in space -- enabling new science and navigation capabilities



45-cm accuracy

SRTM


Feb 2000



4-cm accuracy

CHAMP

Jul 2000



4-cm accuracy  
 Sub-meter real-time demo

SAC-C


Nov 2000



1-cm accuracy

JASON-1

Dec 2001



1-cm accuracy

GRACE

Mar 2002

Dec 2002

FedSat

Dec 2002

ICESat

Apr 2006



COSMIC

Apr 2008



C/NOFS

Jun 2008


OSTM




5-cm accuracy




# GPS Flight Receiver Science Remote Sensing



**Atmospheric and Ionospheric Remote Sensing and Science**



**Bi-Static Ocean Reflectometry**



**2 cm precision altimetry in 1-sec using phase from fixed receiver (Crater Lake, OR)**

# GPS Ionosphere Remote Sensing

National Aeronautics and Space  
Administration  
Jet Propulsion Laboratory  
California Institute of Technology




## Capabilities:

- **Electron density profiles at <1km vertical resolution**
- **2D global maps of vertical TEC and ionospheric response to magnetic storms**
- **3D images of electron density as a function of time**
- **Maps of ionospheric scintillations**


## Applications:

- **Sun-Earth Connection science**
- **Key input to Navy/AF advanced space weather models**
- **FAA's Wide Area Augmentation System**
- **Mitigate effects on communications**
- **Improved understanding of ionospheric dynamics**



Above: Example of electron density profile obtained with GPS occultations on Oersted. Below: Example of global vertical TEC maps obtained by the Global Assimilative Ionospheric Model (GAIM)

Vertical TEC at UT 00:00





# GPS Operations and Science Support for Ocean Altimetric Missions

National Aeronautics and Space Administration  
Jet Propulsion Laboratory  
California Institute of Technology



- JPL GPS flight receiver
- Orbit determination for Jason and Topex
  - Near-real-time, daily, final
  - Sub-cm RMS radial accuracy for Jason
- **Tsunami** Jason (orange) and Topex (green) ocean height measurements 15 minutes after the 2004 Sumatra earthquake superimposed on a model of the tsunami (shades of red and blue)




# Tsunami Detected in Raw Jason-1 Altimetry Data

National Aeronautics and Space  
Administration  
Jet Propulsion Laboratory  
California Institute of Technology



- December 26, 2004 tsunami from Sumatra earthquake was seen in “raw” altimetry data from Jason satellite passing overhead
- Unfortunately, these data were not available in real-time

Indian Ocean Tsunami in Jason-1 Data?



▼ Jason Repeat Cycle 109; Pass 129  
Climatology (Mean with  $1\sigma$  error bar) from Jason-1 Repeat Cycles 1–108


# Spotlight on GRACE

## Gravity Recovery And Climate Experiment

National Aeronautics and Space  
Administration  
Jet Propulsion Laboratory  
California Institute of Technology



- Twin satellites launched March 2002
  - 500 km near-polar orbit; 200 km nominal baseline
- Mission goal:
  - High-resolution mean and time-variable gravity field mapping
- Science Instrument System (JPL):
  - K-band ranging (KBR) sensor supports micron-level ranging between satellites
  - Advanced “BlackJack” GPS for precise orbit determination
- Unprecedented science results
  - First direct measurement of seasonal exchanges of water between land and oceans
  - Tracked the changing water content of Amazon basin
  - Demonstrated impact of the Dec 2004 Great Sumatra Earthquake on Earth's gravity field
  - Detected a significant loss of ice from the Antarctic ice sheet between 2002 and 2005
- In addition to revolutionizing gravity-field measurements, GRACE has been an ideal testbed for:
  - Formation-flying concepts
  - Ultra precise orbit determination experiments
  - Precise baseline determination



*GPS, Signal and Instrument Processing Units, K/Ka-band horn, ultra-stable oscillator  
-- GRACE flight hardware provided by JPL*




National Aeronautics and Space  
Administration  
Jet Propulsion Laboratory  
California Institute of  
Technology


## GRACE Mission

# Sumatra Earthquake Solution

GRACE




Model (Courtesy of OSU)



**GRACE satellites detected Earth gravity field changes (nanometers/sec\*\*2) from mass shifts during the Sumatra Earthquake in Dec 2004**

# GRACE Science Results

- GRACE has measured changes in the gravity field that indicate **loss of Western Antarctica ice of 127 cubic kilometers per year**, contributing about 0.36 mm/yr to global sea level rise, and **loss rate for Greenland ice of 162 cubic kilometers per year**, contributing about 0.4 mm/yr to global sea rise






Jet Propulsion Laboratory  
California Institute of Technology

[+ View the NASA Portal](#)

JPL HOME
EARTH
SOLAR SYSTEM
STARS & GALAXIES
SCIENCE & TECHNOLOGY






HOME

MISSISSIPPI WATER STORAGE FROM GRACE

Mississippi basin water storage observed with GRACE, assimilated into numerical hydrologic model. This approach brings the GRACE accuracy from scales useful for water cycle and climate studies to scales needed for water resources and agricultural applications

INFORMATION




DATA

WEST ANTARCTIC ICE MASS LOSS

Areas of Western Antarctica are losing mass at a rate of  $-127.5 \pm 21 \text{ km}^3/\text{yr}$ , or 0.36 mm/yr of equivalent global sea level rise.

PUBLICATIONS



PEOPLE

HIGHLIGHTS

**GRACE wins PECORA 2007 award**

The William T. Pecora Award is jointly awarded by USGS and NASA. >>


**NEXT GRACE SCIENCE TEAM MTG**

The next GRACE SWT will be held Dec 12-13 (Fri-Sat), 2008 in San Francisco, California. >>

PARTNERS

DATA

**DYNAMIC OCEAN TOPOGRAPHY**



A time-mean Dynamic Ocean Topographic, and derived geostrophic velocities, computed from the latest Mean Sea Surface and Geoid models, have been added.

**DESTRIPEP MONTHLY GRACE GRIDS, UP TO APRIL 2008**

Destriped GRACE grids, including a PGR model, degree 1 coefficients, up to April 2008 added to the ftp site

RELATED SITES

USA.gov

+ JPL Privacy Statement  
JPL Clearance: CL# CLO8-3271



Responsible Individual: Victor Zlotnicki  
Webmaster: Cecelia Lawshe


# Global Navigation Satellite System Science Instruments

National Aeronautics and Space Administration  
Jet Propulsion Laboratory  
California Institute of Technology



## Representative Instrument

Constellation Observing System for Meteorology, Ionosphere & Climate (COSMIC)



- **GPS has proven to be an unprecedented “tool” for science using precise receivers deployed in ground networks and onboard Earth orbiters**
- **We expect to be able to do all these things with GNSS, only better!**

## Science Applications

- GNSS (Global Navigation Satellite System)
  - GPS, GLONASS, Galileo)  
occultations: high accuracy, all-weather temperature, water vapor, and electron density profiles for weather, climate, and space weather
- GNSS reflections (technology in development)
  - ocean altimetry
  - ocean surface winds
  - ice elevation maps
  - ice type and land moisture indicators
  - monitor mesoscale ocean processes
  - timely sensing of tsunamis

GPSRO 2011



# Contacts

National Aeronautics and Space  
Administration  
Jet Propulsion Laboratory  
California Institute of Technology



Dr. Stephen M. Lichten  
Deputy Manager: JPL Communications, Tracking & Radar Division  
818-354-1614  
[Stephen.M.Lichten@jpl.nasa.gov](mailto:Stephen.M.Lichten@jpl.nasa.gov)

Dr. James Zumberge  
Manager: JPL Tracking Systems and Applications Section  
818-354-6734  
[James.F.Zumberge@jpl.nasa.gov](mailto:James.F.Zumberge@jpl.nasa.gov)

Dr. Frank Webb  
Deputy Manager: JPL Tracking Systems and Applications Section  
818-354-4670  
[Frank.W.Webb@jpl.nasa.gov](mailto:Frank.W.Webb@jpl.nasa.gov)