


Gamma-ray astronomy on the way to uncover the mystery of Dark Matter of Universe

**A.M. Galper
LPI, NRNU MEPhI, Moscow**

COPUOS Vienne, June 2010



Ranges of electromagnetic cosmic radiation






Study of cosmic high-energy gamma-radiation




Shock fronts of “Crab Nebula”



Formation of extragalactic jets from black hole accretion disk



Microquasar model







Study of cosmic high-energy gamma-radiation





Model of galaxy with an active nucleus







Small-scale DM clumps in the Galactic halo



WIMP annihilation



SPACE GAMMA-RAY TELESCOPES



ANNA-3
(Cosmos - 251, 264)

1968, 1969
200 MeV – 1 GeV

SAS-2

1972 – 1973
20 MeV – 1 GeV


COS-B

1975 – 1982
30 MeV – 5 GeV

GAMMA-1

1990 – 1992
30 MeV – 5 GeV

SPACE GAMMA-RAY TELESCOPES




EGRET
(CGRO)
1991 - 1998
30 MeV - 30 GeV

AGILE
2007 – 2010
100 MeV – 50 GeV

FERMI
2008
100 MeV – 100 GeV

Map of high-energy gamma-radiation measured by gamma-ray telescope “Fermi/LAT”





GAMMA-400 project




MAIN SCIENTIFIC PROBLEMS OF GAMMA-400 EXPERIMENT

FIELDS OF INVESTIGATIONS


-The investigation of the nature of physical processes in the active astrophysical objects, responsible for the generation of gamma-radiation of ultra-high energy (1 GeV...3 TeV).

-The investigation of the nature and properties of particles, being according some models, the components of dark matter, via the processes of their annihilation and possibly the decay on gamma-quanta and electron-positron pairs.

Angular resolution of the GAMMA-telescope



Physical scheme of the GAMMA-400 telescope







GAMMA-400 project



GAMMA-400 telescope on spacecraft "Navigator"



GAMMA-400 flight on spacecraft "Navigator"





REFERENCES



- [1] Волобуев С.А., Гальпер А.М., Кириллов-Угрюмов В.Г. и др. Исследование первичного гаммаизлучения с $E > 200$ МэВ на ИСЗ с помощью искровой камеры. // Известия АН СССР. Серия физическая. 1970. Т. 34. №11. С. 2259-2264.
- [2] Fichtel C., et al. High-energy gamma-ray results from the second small astronomy satellite. // The Astrophysical Journal. 1975. V. 198. P. 163-182.
- [3] Bignami G., et al. The COS-B experiment for gamma-ray astronomy. // Space Science Instrument. 1975. V. 1. P. 245-268.
- [4] Akimov V., et al. Determination of the characteristics of the gamma-ray telescope GAMMA-1. // Space Science Reviews. 1988. V. 49. P. 125-138.
- [5] Kanbach G., et al. The project EGRET (Energetic Gamma-Ray Experiment Telescope) on NASA's gamma-ray observatory GRO. // Space Science Reviews. 1988. V. 49. P. 69-84.
- [6] Tavani M., et al. The AGILE space mission. // Nuclear Instruments and Methods in Physics Research. 2008. V. A588. P. 52-62.
- [7] Atwood W.B., et al. The large area telescope on the FERMI gamma-ray space telescope mission. // The Astrophysical Journal. 2009. V. 697. P. 1071-1102.
- [8] Abdo A.A., et al. Fermi Large Area Telescope First Source Catalog. // arXiv:1002.2280v1.
- [9] Abdo A.A., et al. Fermi observations of TeV-selected active galactic nuclei. // The Astrophysical Journal. 2009. V. 707. P. 1310-1333.
- [10] Tibaldo L., et al. Fermi LAT measurements of diffuse gamma-ray emission: results at the first-year milestone. // arXiv:1002.1576v1.
- [11] Гальпер А.М., Кириллов-Угрюмов В.Г., Лучков Б.И. Наблюдательная гамма-астрономия. // Успехи Физических Наук. 1974. Т. 112. №3. С. 491-515.
- [12] Bernardo G.Di., et al. The High Energy Cosmic Ray Electron Spectrum measured by Fermi Gamma-Ray Space Telescope: some possible interpretations. // arXiv:0912.3887v1.
- [13] Adriani O., et al. An anomalous positron abundance in cosmic rays with energies 1.5–100 GeV. // Nature. [2009. V. 458. P. 607-609.
- [14] Ginzburg V.L., Galper A.M., Fradkin M.I., et al. Gamma-Ray Telescope “GAMMA-400”. Preprint LPI 2009, # 10.

**Thank you
for your
attention!**