

2008 SPACE DEBRIS ACTIVITIES IN FRANCE

F.ALBY
Centre National d' Etudes Spatiales



CONTENT

- Responsibility of France as Launching State
 - French objects in space: situation
- Space debris activities mainly focused on risk prevention
 - Collision risk monitoring
 - Controlled reentries
 - End of life operations



REGISTERED FRENCH SPACE OBJECTS

232

■Situation in January 2009:

Active satellites in LEO:	15
 Defunct satellites in LEO: 	20
Active satellites in GEO:	25
• Defunct satellites in GEO region:	18
 Upper stages and elements: 	154

total



REGISTERED FRENCH SPACE OBJECTS Launches in 2008

- 9 March: ATV-1 Jules Verne (Ariane 5 ES Kourou)
 - Ariane 5 upper stage (controlled reentry)
- 18 April: Star One C2 and Vinasat 1 (Ariane 5 ECA Kourou)
 - Ariane 5 upper stage + Sylda
- 12 June: Skynet 5C and Turksat 3A (Ariane 5 ECA Kourou)
 - Ariane 5 upper stage + Sylda
- 20 June: Jason 2 (Delta 2 Vandenberg)
- 7 July: Protostar 1 and Badr 6 (Ariane 5 ECA Kourou)
 - Ariane 5 upper stage + Sylda
- 14 August: Superbird 7 and AMC21 (Ariane 5 ECA Kourou)
 - Ariane 5 upper stage + Sylda
- 20 December: Hotbird 9 and W2M (Ariane 5 ECA Kourou)
 - Hotbird 9 and W2M (Eutelsat)
 - Ariane 5 upper stage + Sylda




REGISTERED FRENCH SPACE OBJECTS Reentries in 2008

- ■13 January: Ariane 4 2P upper stage (launched 10 June 1995)
- ■10 March: Ariane 5 EPS (ATV launch on 9 March): controlled reentry
- ■21 July: Sylda Ariane 5 (launched 13 October 2006)
- ■2 August: Ariane 3 upper stage (launched 8 September 1988)
- ■29 September: ATV-1 Jules Verne controlled reentry (launched 9 March 2008, registered by ESA)



COLLISION RISK MONITORING IN LEO Operational Procedure: a 5-stage process





COLLISION RISK MONITORING

- Operational monitoring of 17 satellites by CNES:
 - Low Earth Orbit: Spot 2, Spot 4, Spot 5, Helios 1A, Helios 2A, Demeter, Parasol, Calipso, Corot, Jason 1, Jason 2, Essaim W23, Essaim E24, Essaim W11, Essaim E12
 - Geostationary orbit: Telecom 2C, Telecom 2D
- Main results 2008:
 - 344 close approaches identified
 - 16 tracking requests: FGAN, DGA radars, telescopes
 - 4 avoidance manoeuvres
- **■** Foreseen improvements:
 - Estimation of orbit parameters accuracy
 - More accurate collision probability computation



ATV COLLISION RISK MONITORING


■ESA project, Control Centre in CNES-Toulouse


- Collision risk estimation before and after each manoeuvre over a 36-hour period
- Parallel evaluation by NASA and CNES
- Large number of alerts due to recent fragmentation events
- No avoidance manoeuvre
- ■2 foreseen transfer manoeuvres modified to reduce the risk



COLLISION RISK MONITORING IN GEO

- **■** Experimental process: feasibility to be demonstrated
- Detection, tracking and orbit determination capabilities necessary
- Development of the Tarot system: 2 telescopes (France and Chile)
- **■** Demonstration of 2 functions:
 - Capability to automatically detect, track and estimate orbit
 - Basic principles for catalog maintenance established and tested
- Way forward:
 - Global control loop including these 2 functions to be developed








ARIANE 5 EPS DEORBITING

ATV mission

- EPS (Etage à Propergols Stockables) = upper stage of Ariane 5
- After ATV injection, the EPS is left on an orbit:
 - Flying over densely populated areas
 - Having an orbital lifetime of a few months
- Random reentry not acceptable
- A ballistic phase has been added to the flight sequence, followed by a 15s deorbiting burn
- **■** Controlled reentry in the South pacific







ATV CONTROLLED REENTRY




- Automated Transfer Vehicle (ESA programme)
- Launched from Kourou on 9 March 2008 by Ariane 5 ES
- **■** Control centre located in CNES-Toulouse
- Orbit raising, phasing, rendezvous and docking with the ISS in March 2008
- **■** Monitoring during the docked phase




ATV CONTROLLED REENTRY

- **De-docking and 2 de-orbiting manoeuvres**
- Successful controlled reentry in the South Pacific 29 September 2008





ATV CONTROLLED REENTRY





END OF LIFE OPERATIONS

■ Already performed:

LEO: Spot 1

GEO: Telecom 1A and C, TDF 1 and 2, Telecom 2A and B

■ Experience gained shows that:

- Margins on remaining fuel estimation shall be consistent with the accuracy and the probability of success
- Dedicated control modes are necessary
- The manoeuvre strategy shall be carefully prepared, considering offnominal situations
- The passivation process is complex and may induce important orbit perturbations
- Preparation of end of life operations: Spot 2 and Telecom 2C



SUMMARY

- 232 registered French space objects
- 40 active satellites
- Technical and operational activities focused on risk prevention:
 - On-orbit collisions in LEO and GEO:
 - Tracking measurements
 - Avoidance manoeuvres
 - Controlled re-entries in case of large vehicles
- Implementation of UN-COPUOS mitigation guidelines: end of life operations