

United Nations International Meeting on the Applications of GNSS 6-7 June 2012, Vienna, Austria

Radio Navigation Satellite Service and the ITU Radio Regulations

Attila MATAS

Head, Space Publication and Registration division, Space Services Department ITU - Radiocommunication Bureau



Committed to connecting the world



ITU Mission

"To ensure rational, equitable, efficient and economical use of the radio frequency spectrum by all radiocommunication services including those using the geostationary satellite orbit or other satellite orbits - and to carry out studies on radiocommunication matters"



Regulatory and Legal Framework

United Nations Outer Space Treaty (1967)

- Outer space is free for exploitation and use by all states in conformity with international regulations
- States retain jurisdiction and control over objects they have launched into outer space

ITU Radio Regulations (RR)

- Part of the ITU Administrative Regulations and Instruments complementing the provisions of the *ITU Constitution* (CS) and *Convention* (CV), which govern the use of telecommunications
- Intergovernmental treaty legal bindings on all Member states
- Principles of use of orbit/spectrum (CS and RR)
- *Allocation* of frequency bands (Article **5** of the RR) and *services*
- Procedures and Plans
- Are we obliged to apply the ITU Radio Regulations?
 - Ratification of the ITU Convention (CV) implies acceptance of the ITU Radio Regulations



ITU Radio Regulations

Objectives:

> to facilitate equitable access to and rational use of the natural resources of the radio-frequency spectrum and any associated orbits;

to ensure the availability and protection from harmful interference of the frequencies provided for distress and safety purposes;

to assist in the prevention and resolution of cases of harmful interference between the radio services of different administrations;

to facilitate the *efficient and effective operation* of all radiocommunication services;

to provide for and, where necessary, regulate new applications of radiocommunication technology.



RNSS and the ITU Radio Regulations

Definitions from the ITU Radio Regulations (RR) -1

- No. 1.43 radionavigation-satellite service (RNSS): A radiodetermination-satellite service used for the purpose of radionavigation
- No. 1.59 safety service:

Any radiocommunication service used for the safeguarding of human life and property

No. 4.10 Member States recognize that the safety aspects of radionavigation and other safety services require special measures to ensure their freedom from harmful interference; it is necessary therefore to take this factor into account in the assignment and use of frequencies.

International

Telecommunication

Regulatory situation summary



International

Telecommunication

RNSS and the ITU Radio Regulations

- Definitions from the ITU Radio Regulations (RR) -2
- No 1.166 interference: The effect of unwanted energy due to one or a combination of emissions, radiations, or inductions upon reception in a radiocommunication system, manifested by any performance degradation, misinterpretation, or loss of information which could be extracted in the absence of such unwanted energy.
- No 1.167 permissible interference: Observed or predicted interference which complies with quantitative interference and sharing criteria contained in these Regulations or in ITU-R Recommendations or in special agreements as provided for in these Regulations.
- No 1.168 accepted interference: Interference at a higher level than that defined as permissible interference and which has been agreed upon between two or more administrations without prejudice to other administrations.
- No 1.169 harmful interference (HI): Interference which endangers the functioning of a <u>radionavigation</u> service or of other safety services or seriously degrades, obstructs, or repeatedly interrupts a radiocommunication service operating in accordance with Radio Regulations.





Causes of HI

- Out of band emissions;
- Non-coordination of the assignments;
- Non-observance of limits of
 - > Appendix 2 (Table of transmitter frequency tolerances)
 - Appendix 3 (Tables of maximum permitted power levels for spurious or spurious domain emissions);
- Operating with different technical parameters from those recorded in the Master International Frequency Register (MIFR);
- Unauthorised emissions, etc.

International

Telecommunication

nnondiv 10 to PP

Report of HI (Appendix 10 to RR)

		AP10-1	AP1	AP10-2	
	APPENDIX 10 (Rev.WRC-07)		1	Frequency measured	
	Report of harmful interference			Date:	
	(See Article 15, Section VI)			Time (UTC):	
			m	Class of emission ⁴	
Par	Particulars concerning the station causing the interference:		n	Bandwidth (indicate whether measured or estimated, or indicate	
a	Name, call sign or other means of identification			the necessary bandwidth notified to the Radiocommunication Bureau)	
Ь	Frequency measured		0	Location/position/area	
	Date:		р	Location of the facility which made the above measurements	
	Time (UTC):		Part	ficulars furnished by the receiving station experiencing the interfe	rence:
с	Class of emission ¹		q	Name of station	
d	Bandwidth (indicate whether measured or estimated)		, r	Location/position/area	
е	Measured field strength or power flux-density $^{2} $		8	Dates and times (UTC) of occurrence of harmful interference	
	Date:			Bearings (QTE5) or other particulars (WRC-07)	
	Time (UTC):		u	Nature of interference	
ſ	Observed polarization		v	Field strength or power flux-density of the wanted emission	
8	Class of station and nature of service			at the receiving station experiencing the interference ⁶	
h	Location/position/area/bearing (QTE3) (WRC-07)			Date:	
i	Location of the facility which made the above measurements			Time (UTC):	
Particulars concerning the transmitting station interfered with:		w	Polarization of the receiving antenna or observed polarization		
j	Name, call sign or other means of identification		x	Action requested	
k	Frequency assigned		listed How	E – For convenience and brevity, selegaphic reports shall be in the format abe in lieu of the explanatory titles, but only those letters for which informati ever, sufficient information shall be provided to the administration receiving t tigation can be conducted.	on is provided should be used.

4 See footnote 1.

5 See footnote 3.

⁶ See footnote 2.

¹ The class of emission shall contain the basic characteristics listed in Appendix 1. If any characteristic cannot be determined, indicate the unknown symbol with a dash. However, if a station is not able to identify unambiguously whether the modulation is frequency or phase modulation, indicate frequency modulation (F).

² When measurements are not available, signal strengths according to the QSA scale should be provided.

³ See the most recent version of Recommendation ITU-R M.1172. (WRC-07)

- 248 -



Infringement of the Constitution, Convention or Radio Regulations

- Not necessarily harmful interference;
- Representations relating to infringement committed by a station shall be made to the administration of the country having jurisdiction over the station by the administrations which detect it.(No. 15.20)
- If an administration has information of an infringement of the Constitution, the Convention or the Radio Regulations (in particular Article 45 of the Constitution and No. 15.1 of the Radio Regulations) committed by a station under its jurisdiction, the administration shall ascertain the facts and take the necessary actions (No. 15.21 REV WRC-12)



Report of an irregularity or infringement (Appendix 9 to RR)

		AP9-1	AP9	-2					
	APPENDIX 9		14	Date and time?					
	Report of an irregularity or infringeme	ent	15	Nature of the irregularity or infringement8					
	(See Article 15, Section V)		16	Extracts from ship log or other information supporting the report					
Part	iculars concerning the station infringing the Radio Regulations:		Particulars concerning the transmitting station interfered with:						
1	Name1 if known (in BLOCK letters)		17	Name of the station (in BLOCK letters)					
2	Call sign or other identification (in BLOCK letters)								
3	Nationality, if known		18	Call sign or other identification (in BLOCK letters)					
4	Frequency used (kHz, MHz, GHz or THz)		19	Frequency assigned (kHz, MHz, GHz or THz)					
5	Class of emission ²		20	Frequency measured at the time of the interference					
6	Class of station and nature of service, if known		21	Class of emission ² and bandwidth (indicate whether measured or estimated, or indicate the necessary bandwidth notified to the Radiocommunication Bureau)					
7	Location ^{3,4,5}		22	Receiving location ^{8,4} (in BLOCK letters) where the interference					
	iculars concerning the station, the centralizing office or inspect gularity or infringement:	tion service reporting the		was experienced					
8	Name (in BLOCK letters)		23	Certificate:					
9				I certify that the foregoing report represents, to the best of my knowledge, a complete and accurate account of what took place.					
10	Nationality			Signatures ¹⁰ Date: .					
11	Location ^{3, 4}								
Part	Particulars of the pregularity or infringement:								
12	Name ⁶ of the station (in BLOCK letters) in communication with the station committing the irregularity or infringement								
13	Call sign or other identification (in BLOCK letters) of the station in communication with the station committing the irregularity or infringement								
	- 243 -			- 244 -					
_									



Role of Members / administrations

To apply the Provisions of the Constitution, the Convention and the Radio Regulations in stations operated by them or authorized by them and which are capable of causing harmful interference to the radio services of other countries (see Nos. 37, 38, 197, 198 and 199 of the ITU Constitution)



Role of the ITU

- To effect allocation of frequency bands, the allotment and registration of frequency assignments and, for space services, of any associated orbital position, in order to avoid harmful interference between radio stations of different countries (No. 11 of the CS).
- To coordinate efforts to eliminate harmful interference between radio stations of different countries (No. **12** of the CS).



Measures against interference (1/5)

- Any new assignment or any change of frequency or other basic characteristic of an existing assignment shall be made in such a way as to avoid causing harmful interference to assignments recorded in the MIFR in accordance with the Table of Frequency Allocations in this Chapter and the other provisions of the RR (No. 4.3);
- Administrations shall not assign to a station any frequency in derogation of either the Table of Frequency Allocations or the other provisions of the RR, except on the express condition that such a station shall not cause harmful interference to, and shall not claim protection from harmful interference caused by, a station operating in accordance with the provisions of the Constitution, the Convention and these Regulations (No. 4.4).



Measures against interference (2/5)

Primary and secondary services (Nos. 5.23 – 5.31)

- Primary service;
- Secondary service
 - shall cause no harmful interference to, nor claim protection from, the primary service;
 - can claim protection from harmful interference from stations of the same or other secondary services.



Measures against interference (3/5)

Right to international recognition (No. 8.3)

- Any frequency assignment recorded in the Master Register (MIFR) with a favourable finding with respect to the Table of Frequency Allocations and other provisions of the RR shall have the right to international recognition;
- This right means that other administrations shall take it into account when making their own assignments, in order to avoid harmful interference.



Non-conforming assignment (Nos. 8.4 & 8.5)

- A frequency assignment shall be known as a non-conforming assignment when it is not in accordance with the Table of Frequency Allocations or the other provisions of the RR.
- Recorded in the MIFR for information purposes only if the administration states that it shall be operated under the conditions that:
 - it shall cause no harmful interference to, nor claim protection from, other stations operating in accordance with the Table of Frequency Allocations or the other provisions of the RR;
 - it shall eliminate harmful interference if caused to a station operating in accordance with the Table of Frequency Allocations and other provisions of the RR.

International

Telecommunication



Measures against interference (5/5)

 All stations are forbidden to carry out unnecessary transmissions, or the transmission of superfluous signals, etc. (No.15.1)

 Transmitting stations shall radiate only as much power as is necessary to ensure a satisfactory service (No. 15.2)



ART 16 - International monitoring (1/2)

No. 16.1 To assist to the extent practicable in the implementation of these Regulations, in particular to help ensure efficient and economical use of the radio-frequency spectrum and to help in the prompt elimination of harmful interference, administrations agree to continue the development of monitoring facilities and, to the extent practicable, to cooperate in the continued development of the international monitoring system, taking into account the relevant ITU-R Recommendations



ART 16 - International monitoring (2/2)

- No. 16.2 The international monitoring system comprises <u>only</u> those monitoring stations which have been so nominated by administrations in the information sent to the ITU Secretary-General in accordance with Resolution ITU-R 23-1 and Recommendation ITU-R SM.1139.
- These stations may be operated by an administration or, in accordance with an authorization granted by the appropriate administration, by a public or private enterprise, by a common monitoring service established by two or more countries, or by an international organization.



Procedure in a case of harmful interference (1/2)

- Administrations shall exercise the utmost goodwill and mutual assistance to the settlement of problems of harmful interference (No.15.22)
- Administrations shall cooperate in the detection and elimination of harmful interference, employing where appropriate the facilities described in Article 16 (*International monitoring*) and the procedures detailed in the Section VI of Article 15 (Procedure in a case of harmful interference) (No.15.25).
- Where practicable, and subject to agreement by administrations concerned, the case of harmful interference may be dealt with directly by their monitoring stations or by direct coordination between the operators (No.**15.26**).
- Full particulars relating to harmful interference shall, whenever possible, be given in the form indicated in Appendix 10 (No.15.27).



Procedure in a case of harmful interference (2/2)

- On being informed that a station over which it has jurisdiction is believed to have been the cause of harmful interference, an administration shall, as soon as possible, acknowledge receipt of that information (No.15.35).
- An administration receiving a communication to the effect that one of its stations is causing harmful interference to a safety service shall promptly investigate the matter and take any necessary remedial action and respond in a timely manner (No.15.37).
- If it is considered necessary, and particularly if the steps taken in accordance with the procedures described above have not produced satisfactory results, the administration concerned shall forward details of the case to the Bureau for its information (No.15.41).
- In such a case, the administration concerned may also request the assistance of the Bureau (No.15.42).



Conclusions

- What some see as interference is considered by others as useful information.
- For improving the use of the frequency spectrum, the utmost goodwill and mutual cooperation among the interested parties are necessary.
- When assigning frequencies to stations and in their operation, Members shall remain faithful to the spirit of No. 37 of the Constitution and conform strictly to the RR, in particular to the Table of Allocations, which constitutes the basis for the prevention of harmful interference.
- Apart from requests for assistance, the BR intervenes in the case of harmful interference only if the frequency affected is recorded in the MIFR or the harmful interference is caused to a safety service.



RNSS info 1

The ITU BR is maintaining a special web site and web forum – RES-609 Consultation meeting

- posting of required information from administrations
- exchange of information
- posting the results of the epfd calculation from the participants of the RES-609 Consultation meeting
- Posting the results of all RES-609 Consultation meetings

http://www.itu.int/ITU-R/space/res609/



RNSS info 2

WP 4C is responsible for studies related to all mobilesatellite services including RNSS

- Studies on the RNSS are very active
- Sharing and protection criteria have been intensively investigated for existing spectrum allocation for RNSS
- Studies are also on-going for newly allocated bands for future enhancements and newly planned RNSS systems, addressing frequency sharing with other services
- These studies contribute not only to the development of ITU-R M Series Recommendations but also to WRC-12 preparation
- Free online access to current ITU-R Recommendations is provided to all users at: <u>http://www.itu.int/publ/R-REC/en</u>



RNSS info 3

- List of most important ITU-R Recommendations related to RNSS (1)
- ITU-R M.1088 Considerations for sharing with systems of other services operating in the bands allocated to the radionavigationsatellite service
- ITU-R M.1318-1 Evaluation model for continuous interference from radio sources other than in the radionavigation-satellite service to the radionavigation-satellite service systems and networks operating in the 1 164-1 215 MHz, 1 215-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz bands
- ITU-R M.1463-1 Characteristics of and protection criteria for radars operating in the radiodetermination service in the frequency band 1 215-1 400 MHz
- ITU-R M.1477 Technical and performance characteristics of current and planned radionavigation-satellite service and aeronautical radionavigation service receivers to be considered in interference studies in the band 1 559-1 610 MHz



RNSS info 4

List of most important ITU-R Recommendations related to RNSS (2)

- ITU-R M.1479 Technical characteristics and performance requirements of current and planned radionavigation-satellite service receivers to be considered in interference studies in the frequency bands 1 215-1 260 MHz and 1 559-1 610 MHz
- ITU-R M.1582 Method for determining coordination distances, in the 5 GHz band, between the international standard microwave landing system stations operating in the aeronautical radionavigation service and stations of the radionavigation-satellite service
- ITU-R M.1787 Description of systems and networks in the radionavigation-satellite service and technical characteristics of transmitting space stations operating in the bands 1 164-1 215 MHz, 1 215-1 300 MHz and 1 559-1 610 MHz
- ITU-R M.1831 A coordination methodology for RNSS intersystem interference estimation



RNSS info 5

List of ITU-R Questions related to RNSS

- QUESTION ITU-R 217-2/4 Interference to the radionavigation-satellite service in the ICAO GNSS
- QUESTION ITU-R 288/4 Characteristics and operational requirements of radionavigation-satellite service

Radio Navigation Satellite Service and the ITU Radio Regulations

Attila MATAS ITU BR matas@itu.int





Committed to connecting the world