

Earth Observation for Epidemics of Vector-borne Diseases / EuroGEO Action Group





EYWA: A key tool to the epidemics arsenal

Konstantinos Tsaprailis

Mirka Rossi Haris Kontoes

BEYOND Centre of EO Research & Satellite Remote Sensing, National Observatory of Athens



































Introduction - A global problem

- ☐ Climate Change, globalisation and other drivers are altering ecological conditions for mosquitoes.
- ☐ Globally, Mosquito-Borne Diseases (MBDs) as malaria, dengue and yellow fever, and Zika are present in over 100 countries over the world.
- □ Each year they account for some <u>700,000 deaths</u> globally. **Malaria**, which represents more than half of these, is tragically most lethal for kids aged under five in the sub-Saharan regions.
- But **Europe** is also considered as a "hot spot" especially because of the **West Nile Virus epidemic** due to elevated temperature. Also local expansion of **chikungunya** and **dengue fever** in continental Europe has increased by over 40% compared to the 1950 baseline.





Working towards a solution


The need to confront, control, and foresee this continuous threat gave birth to the EYWA early warning system.
It is a niche state-of-the-art tool to sustain targeted door-to-door awareness and aversion of human cases in thousands of villages in the European territories.
The EYWA system is the outcome of a 3-year voluntary action with the ultimate vision to introduce EYWA as a key tool to the epidemics arsenal and contribute significantly to combat and control MBD .
It operates and distills information to monitor human health, supported by diverse domains of expertise including EO , advanced epidemiological and entomological modeling , and innovative AI and ML big data analytics.
The Early Warning System has been operational since 2020 and in 2021 supported 10 regions in 5 European countries. In late 2021 EYWA was also successfully onboarded as a pilot to the e-shape project with a goal to bring the operational services in non-European countries, specifically in Cote d'Ivoire in Africa and Thailand in Asia.
This endeavor was a significant accomplishment and EYWA was awarded with the 1st European Innovation Council Horizon Prize on Early Warning for Epidemics.





EO creates opportunities for Health & **Epidemics**





EYWA engages 37 stakeholders globally up to now & has received Letters of Support from: Germany, Italy, Serbia, Greece, USA, Brazil & India

211 publications & more than 44,450 citations

EYWA team

15 partners 5 countries (~30M citizens)

National/International **Roles as Reference Entities**

Surveillance & Control. Medical & Veterinary Medicine from all 5 countries: BEYOND/NOA, ECODEV, LapUp, AUTH, UTH (GR) IZSVe, FEM (IT) UNSFA, UNSFM, NIV-NS (SRB)

BEYOND/NOA: Crosscutting role for Big Data manipulation, standardisation, harmonization & storage.

Predictive modelling: BEYOND/NOA, ECODEV, LapUp

System, Web Platform and mobile applications development: BEYOND/NOA, i.D.Com, ECODEV, LapUp





Reaching out globally

EYWA engages more than 40 stakeholders at a European and global scale providing essential dat and feedback.
The EYWA consortium signed an MoU with the European Commission's Joint Research Center (JRC) to further advance the collaboration towards the common goal of expanding and exploiting the innovations in the early warning forecasting services.
Furthermore it is being considered for EYWA to provide support to the European Health Emergency and Response Authority (HERA) of the European Commission.
Participation in: GEO Health Community of Practice, GEO & EuroGEO Symposiums, GEO-CRADLE Initiative. EO4GEO community.





Expanding the service to non-European territories

- □ EYWA was on-boarded as a pilot to the e-shape H2020 project, with the major goal of expanding the support of the services to non-European territories, specifically Thailand and Côte d'Ivoire.
- ☐ Expand the database of entomological data, train and adapt the models to new regions climatic and socioeconomic conditions.
- ☐ Strengthen the models and help make an impact to the people in these regions by supporting on the ground awareness campaigns.









What does EYWA provide?

	MIMESIS,	BAr	WNV	' risk	models
--	----------	-----	-----	--------	--------

- Provide risk maps of pathogen circulation on **Municipality & Settlement/Village** level
- So far available in **4 regions in Greece** and **I region in Italy**, expanding to more regions.
- Support supplementary preventive actions (more intense larviciding).
- Provide complementary door-to-door awareness campaigns.
- o In 2021 more than 31,000 households in reached in the Central Macedonia region of Greece.

☐ BAd mosquito abundance model.

- Works on a Settlement level.
- Available in Greece soon in more regions
- Powers the "Mosquito Vision" mobile application, used in more than 2400 villages in Greece sending out notifications on high nuisance and getting crowdsourced feedback.

☐ MAMOTH mosquito abundance model.


- Works on a trap level.
- Available operationally in 4 European countries in 2021, expanding to more in 2022.
- Supports different mosquito species including Culex, Aedes albopictus and Anopheles.





Making it work

- ☐ Time-series of entomological, epidemiological, socio-economic, satellite Earth Observation, meteorological and geomorphological data
- 36 features for each of the 39.000 mosquito collections in our database.
- ☐ A "MAMOTH" feature space of at least 10-years time-series of data for mosquito-traps network in 10 regions in Europe.
- ☐ Environment proxies (Sentinel 2, Landsat 7/8):
 - O Normalized Difference Vegetation Index (NDVI)
 - Normalized Difference Moisture Index (NDMI)
 - O Normalized Difference Water Index (NDWI)
 - Normalized Difference Build-Up Index (NDBI)
- Meteorological Data (Copernicus ERA-5, MODIS, IMERG):
- Wind, Land Surface Temperature (LST), Rainfall
- **Geomorphological Data** (Alos Palsar, Copernicus Water & Wetness):
 - Elevation, Aspect, Slope
 - Other composite features related to the proximity of trapping sites to mosquito breeding sites, waste treatment facilities, water bodies and more






EO creates opportunities for Health & Epidemics



Indicative EYWA operational results during the period | April - October 2020

Human case risk forecast – Region of Central Macedonia - Dynamic modelling – Issued on 25/07/2020



Human case probability map (left) and probable month of human cases incidence (right)





Mosquitoes population risk map -Data Driven Model -Region of Veneto (Italy) Period 25/08/2020-25/09/2020

BEYOND



Mosquito Vision: Smartphone application for 5day predictions of evening and night nuisance from mosquitoes



Mosquito abundance forecasts in the 1040 municipalities of Central Macedonia for the week 02/09 έως 06/09/2020



Human case risk forecasts for WNV incidence calculated over the 1040 municipalities in Central Macedonia for the week 31/08-06/09/2020







In a nutshell

EYWA was borne out of a need to create a state-of-the-art early warning system for the rising threat of				
Mosquito borne Diseases.				
Fusion of big Earth Observation data with in-situ collected ones, to feed advanced deterministic &				
machine learning based modelling.				
West Nile Virus risk models provide early warning for pathogen circulation to help support the				
preventive actions, and guide targeted door-to-door awareness campaigns.				
Mosquito population abundance models provide early warning for multiple mosquito genuses a				
different spatial and temporal resolutions.				
The project has developed standards to support the decision making on:				
 local (via Public Health Authorities, Vector Control Companies) 				
 European (through an established collaboration with the EC JRC) 				
Established a large database of entomological & epidemiological data to support research.				
Is continuously expanding the network of stakeholders to new regions on a global scale.				

Thank you!



Contact us:

kontoes@noa.gr (Coordinator of EuroGEO Action Group for Epidemics) (Lead Partner of EYWA)

Earth Observation for Epidemics of Vector-borne Diseases / EuroGEO Action Group



15 Partners | 5 Countries

Greece

National Observatory of Athens (NOA) – BEYOND Centre of EO Research & Satellite Remote Sensing

Ecodevelopment S.A

University of Patras – Physics Department - Laboratory of Atmospheric Physics (LapUP)

Dimitrios Vallianatos (IDCOM)

Aristotle University of Thessaloniki

University of Thessaly, Medical School. Laboratory of Hygiene and Epidemiology

Italy

Istituto Zooprofilattico Sperimentale delle Venezie (IZSVe)

Edmund Mach Foundation

University of Trento

Serbia

University of "Novi Sad", Faculty of Agriculture, Laboratory for Medical and Veterinary Entomology

Scientific Veterinary Institute "Novi Sad"

University of Novi Sad, Faculty of Medicine

Germany

German Mosquito Control Association (KABS)

Bernhard Nocht Institute for Tropical Medicine

France

EID Méditerranée